


(RGB SIZE FOR CUSTOMER REFERENCE ONLY)



PIN NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SYMBOL	MPu0	CSI	OTPD	OTPG	RST	RS	WR	RD	DB0	DB1	DB2	DB3	DB4	DB5	DB6
16	17	18	19	20	21	22	23	24	25	26	27	28	29		
SYMBOL	DB7	DB8	DB9	DB10	DB11	DB12	DB13	DB14	DB15	VSS	VDD	VDD3	LEDA	LEDK	

- NOTES:**
- 1 ◊ : SPECIAL CHARACTERISTIC
 - 2 + : SAFETY CHARACTERISTIC
 - 3 ▽ : CRITICAL DIMENSION
 - 4 () : REFERENCE DIMENSION



VARRTRONIX LIMITED

ISSUE	AMENDMENT	DATE

PRELIMINARY

DRIVER AT THE	1.2V GREN. AT TRANSMISSIVE, GRN. COLOR
DRIVER RESOLUTION	15.7X15.7X 0.60
VIEWING ANGLE	110° CLOCK
MUX RATIO	1/162 DUTY
LED CONTROL DRIVER	5683H82
LED VOLTAGE	3V
LED DRIVING VOLTAGE	TBD
OPERATING TEMPERATURE	20°C to 70°C
STORAGE TEMPERATURE	-30°C to 80°C
BACKLIGHT	TYPE
	WAVELENGTH
	DRIVING VOLTAGE
	LUMEN ANGLE/DIA
	TYPE
	MIN.
	MAX.
REMARK	THE BACKLIGHT IS NOT TOOLED YET

TITLE: ICM Module Specification

PROJECT NO: COG-C167MVH

CUSTOMER REF:

TOLERANCE UNLESS OTHERWISE SPECIFIED:	X.X ±0.3
DIMENSIONS IN MM	X.XX ±0.1
MATERIAL: N/A	FINISH: N/A
SCALE: DID NOT IN SCALE	OVERALL THK: N/A

THIRD ANGLE PROJECTION	NAME	SIGN	DATE
	CHAN KAM FAI		05.12.28
	WONG TIM		
	APPROVED: K.P.HO		

ITEM NO.: COG-C167MVH-01

DESCRIPTION: COG-C167MVH

FILE NO: COG COG-C167MVH-01 REV: 0

SHEET 1 OF 1