

CGA4F1C0G2A153J085AE

□□□



TDK item description CGA4F1C0G2A153J***S

Applications Automotive Grade


Feature Mid Voltage (100 to 630V)

Soft Termination

AEC-Q200

Series CGA4(2012) [EIA 0805]

Status Production



Dimensions in mm

| Size | |
|-------------------------------|------------------------------------|
| Length(L) | 2.00mm +0.45,-0.20mm |
| Width(W) | 1.25mm +0.25,-0.20mm |
| Thickness(T) | 0.85mm ±0.15mm |
| Terminal Width(B) | 0.20mm Min. |
| Terminal Spacing(G) | 0.50mm Min. |
| Recommended Land Pattern (PA) | 1.00mm to 1.30mm(Flow Soldering) |
| | 0.90mm to 1.20mm(Reflow Soldering) |
| Recommended Land Pattern (PB) | 1.00mm to 1.20mm(Flow Soldering) |
| | 0.70mm to 0.90mm(Reflow Soldering) |
| Recommended Land Pattern (PC) | 0.80mm to 1.10mm(Flow Soldering) |
| | 0.90mm to 1.20mm(Reflow Soldering) |

| Electrical Characteristics | |
|------------------------------|-----------------|
| Capacitance | 15nF ±5% |
| Rated Voltage | 100VDC |
| Temperature Characteristic | COG(0±30ppm/°C) |
| Q (Min.) | 1000 |
| Insulation Resistance (Min.) | 10000MΩ |

| Other | |
|------------------|------------------------------------|
| Soldering Method | Wave (Flow) |
| | Reflow |
| AEC-Q200 | Yes |
| Packing | Punched (Paper)Taping [180mm Reel] |
| Package Quantity | 4000pcs |





! Images are for reference only and show exemplary products.
! This PDF document was created based on the data listed on the TDK Corporation website.
! All specifications are subject to change without notice.

CGA4F1C0G2A153J085AE

□□□



Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.
! This PDF document was created based on the data listed on the TDK Corporation website.
! All specifications are subject to change without notice.

CGA4F1C0G2A153J085AE

□□□



Associated Images



! Images are for reference only and show exemplary products.
! This PDF document was created based on the data listed on the TDK Corporation website.
! All specifications are subject to change without notice.